

SEWER CONNECTION CERTIFICATE APPLICATION

TOWNSHIP OF BERLIN
DEPARTMENT OF BILLING & COLLECTION
135 ROUTE 73 SOUTH
WEST BERLIN, NJ 08091
(856) 767-1854 Ext. 226
(856) 767-0252 Fax

Application Date: _____

Project Name/Address: _____

Contact Name: _____ Phone #: _____

Municipality of Connection: _____ Block: _____ Lot: _____

Project Description: Circle One: Existing New Construction

Total Square Footing of Gross Floor Area: _____

Estimated Date of Sewer Connection: _____

Applicant's Name/Address: _____

_____ Phone # _____

Applicant's Signature: _____ Date: _____

Berlin Township
SEWER TIE-IN PERMIT APPLICATION

APPLICANT'S NAME: _____
APPLICANT'S ADDRESS: _____

PHONE NUMBER: _____ DATE: _____

ADDRESS OF TIE-IN LOCATION: _____

TIE-IN BEING DONE BY: _____
ADDRESS: _____

CONTACT NAME: _____
PHONE NUMBER: _____

NEW JERSEY ONE CALL MARKOUT REQUEST NO.: _____

A SKETCH OF THE PROPOSED TIE-IN MUST BE ATTACHED.

THE SKETCH MUST SHOW:

- LOCATION OF THE MAIN
- DEPTH OF THE TEE/LATERAL AT THE MAIN
- SIZE OF ALL PIPES BEING USED
- SIZE AND TYPE OF TEE BEING USED
- SIZE AND TYPE OF SADDLE BEING USED
- DISTANCE FROM THE MAIN TO THE TEE

INSPECTIONS WILL BE MADE BY THE BERLIN TOWNSHIP PUBLIC WORKS DEPARTMENT DURING THE HOURS OF 8:00 AM AND 2:00 PM MONDAY THRU FRIDAY.








THE PUBLIC WORKS DEPARTMENT MUST HAVE AT LEAST 48 HOURS NOTICE PRIOR TO SCHEDULING THE INSPECTION.

ALL TIE-INS MUST BE LEFT EXPOSED UNTIL THE INSPECTION IS MADE. FAILURE TO DO SO WILL RESULT IN THE REOPENING OF THE WORK AREA SO THE INSPECTION CAN BE MADE.

SIGNATURE OF APPLICANT; _____
BY SIGNING THIS APPLICATION YOU AGREE TO MEET ALL THE ABOVE LISTED CRITERIA.

APPROVED BY: _____ DATE: _____

**COLOR CODE
FOR MARKING
UNDERGROUND UTILITY LINES**

-  ELECTRIC
-  GAS-OIL-STEAM
-  COMMUNICATION
CATV
-  WATER
-  SEWER
-  TEMPORARY SURVEY
MARKINGS
-  PROPOSED
EXCAVATION




 **CALL FOR FREEMARKOUTS
3 FULL DAYS
BEFORE YOU DIG
IN NEW JERSEY, DE, PA, & NY
1-800-272-1000**
**ALL OTHER AREAS: 1-908-232-1232
NEW JERSEY ONE CALL**

TABLE 3.5 - MATERIALS FOR SANITARY WASTE & DRAIN (1) (2) (3)	ABOVEGROUND WITHIN BUILDINGS		
	UNDERGROUND WITHIN BUILDINGS		
	SEWERS OUTSIDE OF BUILDINGS		
ABS Pipe and Fittings, Schedule 40 DWV (ASTM D2661)	●	●	●
ABS Pipe - Cellular Core (ASTM F628) and DWV Fittings	●	●	●
ABS Sewer Pipe and Fittings (ASTM D2751) (2)	●	■	■
ABS and PVC Composite Sewer Pipe (ASTM D2680)	●	■	■
Brass Pipe (ASTM B43)	■	■	●
Cast-Iron Soil Pipe and Fittings - Bell and Spigot (ASTM A74)	●	●	●
Cast-Iron Soil Pipe and Fittings - Hubless (CISPI 301, ASTM A888)	●	●	●
Cellular Core PVC Sewer and Drain Pipe (ASTM F891) (3)	●	■	■
Cellular Core PVC Sewer and Drain Pipe (ASTM F891) (4)	■	●	■
Cellular Core PVC DWV Pipe, IPS Schedule 40 (ASTM F891)	●	●	●
Concrete Drain Pipe, Nonreinforced (ASTM C14)	●	■	■
Concrete Drain Pipe, Reinforced (ASTM C76)	●	■	■
Copper Pipe (ASTM B42)	■	■	●
Copper Tube - DWV (ASTM B306) and Copper Drainage Fittings (ANSI B16.23)	●	●	●
Copper Water Tube - K,L,M (B88) and Copper Drainage Fittings (ANSI B16.23)	●	●	●
Fiberglass Sewer and Pressure Pipe (ASTM D3754) and Fiberglass Non-Pressure Pipe Fittings (ASTM D3840)	●	■	■
Fiberglass Sewer Pipe (ASTM D3262) and Fiberglass Non-Pressure Pipe Fittings (ASTM D3840)	●	■	■
Galvanized Steel Pipe (A53) and Cast-Iron Drainage Fittings (ASME B16.12)	■	■	●
PVC Pipe and Fittings, DWV (ASTM D2665)	●	●	●
PVC Sewer Pipe (PS-46) and Fittings (ASTM F789)	●	■	■
PVC Sewer Pipe (PSM) and Fittings (ASTM D3034) (2)	●	■	■
Vitrified Clay Pipe - Standard Strength (ASTM C700)	●	■	■
Vitrified Clay Pipe - Extra Strength (ASTM C700)	●	●	■
Lead Pipe and Fittings (FS WW-P-325B)	■	■	●

- (1) Plastic drain, waste, and vent piping classified by standard dimension ratio shall be SDR 26 or heavier (lower SDR number).
- (2) Plastic sewer pipe classified by pipe stiffness shall be PS-46 or stiffer (higher PS number).
- (3) Piping shall be applied within the limits of its listed standard and the manufacturer's recommendations.



 **Building Drain:** That part of the lowest piping of a drainage system which receives the discharge from soil, waste and other drainage pipes inside the walls of the building and conveys it to the building sewer beginning 3 feet outside the building wall.

Information you will need to bring with you to get your permit:

1. Dig Number
2. CCMUA CERTIFICATE (#609-541-3700)